Solar activity ranged from very low to low over the period. Very low levels were observed on 06-09 December and again on 11 December. Low levels occured on 05 and 10 December with isolated C-class flare activity observed from Region 2615 (S07, L=139, class/area Dai/200 on 05 Dec).

No proton events were observed at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit was at high levels on 05-07 December and on 09-11 December with moderate levels observed on 08 December. A peak flux of 24,002 pfu was observed at 11/1525 UTC.

Geomagnetic field activity ranged from quiet to active levels with a couple of isolated G1 (Minor) storms periods. The period began with quiet to isolated unsettled activity through midday on 07 December. Solar wind parameters were nominal with winds speeds in the 300-375 km/s range. By midday to late on 07 December, activity levels increased to unsettled to active as the field came under the influence of a large, recurrent, negative polarity CH HSS. Phi angle rotated from a positive to a negative orientation, wind speeds spiked from about 375 km/s to near 550 km/s, total field Bt increased to 16 nT while the Bz component was variable between +14 nT to -8 nT. From 08-09 December, wind speeds continued to increase reaching a peak of 731 km/s early on 09 December. Field conditions responded with unsettled to active levels with G1 (Minor) strom levels recorded late on the 9th. From 10-11 December, field conditions were generally at unsettled to active levels with some quiet periods on the 10th. Wind speeds began a gradual decline with values near 550 km/s by the end of the summary period.

Space Weather Outlook 12 December - 07 January 2017

Solar activity is expected to be at very low levels with a slight chance of C-class activity throughout the outlook period.

No proton events are expected at geosynchronous orbit.

The greater than 2 MeV electron flux at geosynchronous orbit is expected to be at mostly high levels through the summary period with moderate levels likely on 19-21 December.

Geomagnetic field activity is expected to be at unsettled to active levels on 18-25 December and again on 02-07 January due to recurrent CH HSSs. In addition, G1 (Minor) storm conditions are likely on 21 December and 04-05 January to include G2 (Moderate) storm conditions on 22 December. Mostly quiet conditions are expected for the remainder of the outlook period.



Daily Solar Data

	Radio	Sun	Sunspot X-ray		_	Flares						
	Flux	spot	Area Background		_	X-ra		Optical				
Date	10.7cm	No.	(10 ⁻⁶ hem	i.) I	Flux	(C M	X	S	1	2	3 4
05 December	83	37	220	B1.1	1	0	0	2	0	0	0	0
06 December	80	24	170	B1.0	0	0	0	0	0	0	0	0
07 December	77	18	170	A9.1	0	0	0	0	0	0	0	0
08 December	75	14	60	A8.7	0	0	0	0	0	0	0	0
09 December	73	12	60	A8.0	0	0	0	0	0	0	0	0
10 December	72	0	0	A8.0	1	0	0	0	0	0	0	0
11 December	71	13	10	A6.3	0	0	0	1	0	0	0	0

Daily Particle Data

	(pro	Proton Fluen otons/cm ² -da			Electron Fluence (electrons/cm ² -day -sr)						
Date	>1 MeV	>10 MeV >100 MeV >0.6 I				>2MeV	>4 MeV				
05 December	2.	0e+06	1.5e+04	3.5e+0	3	7.36	e+07				
06 December	1.	5e+06	1.4e + 04	3.5e+0	3	2.66	e+07				
07 December	2.	3e+06	1.5e+04	3.6e+0	3	1.5e + 07					
08 December	1.	3e+06	1.5e+04	3.4e+0	3.4e+03		e+06				
09 December	2.	0e+06	1.5e+04	3.4e+0	3	7.46	e+07				
10 December	1.4e + 06		1.4e + 04	3.4e+0	3.4e+03		e+08				
11 December	2.	8e+06	1.5e + 04	3.6e+0	3	7.2e+08					

Daily Geomagnetic Data

	Mi	ddle Latitude	H	igh Latitude	Estimated			
	Fr	edericksburg		College	Planetary			
Date	A	K-indices	A K-indices		A	K-indices		
05 December	2	2-1-0-0-1-1-0-1	2	0-0-0-0-1-2-1	4	2-1-0-0-1-1-1-2		
06 December	6	0-1-1-2-3-2-1-2	5	0-0-0-3-0-3-1-1	7	1-1-1-2-3-2-1-3		
07 December	9	0-1-3-2-2-3-3	21	1-1-5-4-4-3-3	11	1-2-3-2-2-3-3		
08 December	14	3-3-2-2-3-3-4	29	2-4-3-5-5-5-3-4	23	4-4-3-3-3-4-4-4		
09 December	18	4-1-3-3-3-4-4	38	3-2-4-6-5-5-5-4	25	4-2-3-4-3-4-5-5		
10 December	11	4-3-2-2-1-2-3	21	3-2-3-5-5-3-3-2	16	4-3-3-3-3-3-3		
11 December	11	3-4-2-3-2-2-1	25	3-3-2-5-5-5-3-1	22	4-4-2-3-2-3-3-2		



Alerts and Warnings Issued

Date & Time of Issue UTC	Type of Alert or Warning	Date & Time of Event UTC
05 Dec 1145	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	25/0955
05 Dec 2053	WATCH: Geomagnetic Storm Category G1 predict	ed
06 Dec 1201	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	25/0955
06 Dec 1258	WARNING: Geomagnetic $K = 4$	06/1300 - 1800
06 Dec 1810	WATCH: Geomagnetic Storm Category G1 predict	ed
07 Dec 0854	WARNING: Geomagnetic $K = 4$	07/0855 - 1500
07 Dec 1454	EXTENDED WARNING: Geomagnetic $K = 4$	4 07/0855 - 2359
07 Dec 1603	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	25/0955
07 Dec 1933	EXTENDED WARNING: Geomagnetic $K = 4$	4 07/0855 - 0600
07 Dec 1933	WARNING: Geomagnetic $K = 5$	07/1935 - 08/0300
08 Dec 0301	ALERT: Geomagnetic $K = 4$	08/0259
08 Dec 0436	EXTENDED WARNING: Geomagnetic $K = 4$	4 07/0855 - 08/1500
08 Dec 0438	WARNING: Geomagnetic $K = 5$	08/0437 - 0900
08 Dec 0900	EXTENDED WARNING: Geomagnetic $K = 5$	5 08/0437 - 1300
08 Dec 1613	WARNING: Geomagnetic $K = 4$	08/1615 - 2359
08 Dec 1620	ALERT: Geomagnetic $K = 4$	08/1521
08 Dec 1635	WARNING: Geomagnetic $K = 5$	08/1635 - 2300
08 Dec 2245	EXTENDED WARNING: Geomagnetic $K = 4$	4 08/1615 - 09/1200
08 Dec 2245	EXTENDED WARNING: Geomagnetic $K = 5$	08/1635 - 09/0600
09 Dec 1126	EXTENDED WARNING: Geomagnetic $K = 4$	4 08/1615 - 09/2100
09 Dec 1207	ALERT: Electron 2MeV Integral Flux >= 1000pf	u 09/1150
09 Dec 1909	WARNING: Geomagnetic $K = 5$	09/1909 - 2359
09 Dec 2020	WATCH: Geomagnetic Storm Category G1 predict	ed
09 Dec 2024	EXTENDED WARNING: Geomagnetic $K = 4$	4 08/1615 - 10/1500
09 Dec 2050	ALERT: Geomagnetic $K = 5$	09/2050
09 Dec 2201	EXTENDED WARNING: Geomagnetic K = 5	5 09/1909 - 10/0900
09 Dec 2252	ALERT: Geomagnetic K = 5	09/2252




Alerts and Warnings Issued

Date & Time of Issue UTC		Date & Time of Event UTC
10 Dec 0946	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	09/1150
10 Dec 1441	EXTENDED WARNING: Geomagnetic K = 4	08/1615 - 10/2359
10 Dec 2354	EXTENDED WARNING: Geomagnetic K = 4	08/1615 - 11/1200
11 Dec 0501	CONTINUED ALERT: Electron 2MeV Integral Flux >= 1000pfu	09/1150
11 Dec 1156	EXTENDED WARNING: Geomagnetic K = 4	08/1615 - 11/1800
11 Dec 1755	EXTENDED WARNING: Geomagnetic K = 4	08/1615 - 11/2359



Twenty-seven Day Outlook



D .	Radio Flux	•	•			Radio Flux	•	•
Date	10.7cm	A Index	Kp Index	Da	ate	10.7cm	A Index	Kp Index
12 Dec	73	8	3	26	o Dec	88	5	2
13	73	5	2	27	7	88	5	2
14	75	5	2	28	3	86	5	2
15	75	5	2	29)	86	5	2
16	75	5	2	30)	88	5	2
17	75	5	2	31		88	5	2
18	75	8	3	01	Jan	88	5	2
19	82	12	4	02	2	86	8	3
20	82	16	4	03	3	86	10	3
21	86	22	5	04	Ļ	84	20	5
22	86	30	6	05	5	82	22	5
23	88	12	4	06	<u> </u>	80	16	4
24	88	10	3	07	7	80	16	4
25	88	8	3					



Energetic Events

		Time			-ray Optical Information			P	eak	Sweep Freq		
			Half		Integ	Imp/	Location	Rgn	Radi	o Flux	Inten	sity
Date	Begin	Max	Max	Class	Flux	Brtns	Lat CMD	#	245	2695	II	IV

No Events Observed

Flare List

				Optical					
		Time		X-ray	Imp/	Location	Rgn		
Date	Begin	Max	End	Class	Brtns	Lat CMD	#		
05 Dec	0400	0405	0413	B3.5			2615		
05 Dec	0557	0607	0614	C1.2	SF	S08W20	2615		
05 Dec	1710	1715	1719	B2.5	SF	S04W27	2615		
06 Dec	1008	1012	1015	B1.7			2615		
06 Dec	1037	1040	1043	B1.6			2615		
06 Dec	1907	1911	1914	B2.9			2615		
07 Dec	0114	0117	0128	B1.6			2615		
07 Dec	0334	0345	0354	B1.6			2615		
07 Dec	0957	1000	1003	B1.7			2615		
07 Dec	1119	1123	1132	B1.7			2615		
07 Dec	1552	1556	1600	B1.6			2615		
07 Dec	1752	1809	1820	B3.6			2615		
09 Dec	0721	0725	0727	B1.5			2615		
10 Dec	1648	1715	1737	C4.0			2615		
11 Dec	1710	1715	1718	B1.3			2617		
11 Dec	1916	1925	1929	B1.2	SF	N17W42	2617		



Region Summary

	Location	on	Su	nspot C	haracte	ristics]	Flares	S			
		Helio	Area	Extent	Spot	Spot	Mag	X	K-ray			О	ptica	1	
Date	Lat CMD	Lon	10 ⁻⁶ hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
		Regi	ion 2612												
23 Nov	N07E68	196	120	3	Hsx	1	A								
24 Nov	N09E56	194	180	3	Hax	2	A								
25 Nov	N09E43	194	230	3	Hax	2	A								
26 Nov	N08E29	195	160	4	Hax	3	A								
27 Nov	N08E17	195	170	4	Cao	6	В								
28 Nov	N08E03	195	170	4	Cao	4	В				1				
29 Nov	N09W10	194	150	4	Cao	4	В								
30 Nov	N08W23	194	110	3	Dso	34	В								
01 Dec	N09W36	195	120	4	Dao	5	В								
02 Dec	N09W49	195	90	3	Dao	5	В								
03 Dec	N09W62	194	70	4	Dao	4	В								
04 Dec	N09W75	194	20	5	Cao	2	В								
05 Dec	N09W89	195	20	1	Hax	1	A								
								0	0	0	1	0	0	0	0
	West Lim			0.5											
Absolut	e heliograp	hic lor	igitude: I	95											
		Regi	on 2614												
28 Nov	N06E35	162	10	4	Cro	7	В								
29 Nov	N05E21	163	80	5	Cro	7	В								
30 Nov	N05E06	164	60	5	Dao	3	В				1				
01 Dec	N06W06	165	30	5	Cao	4	В								
02 Dec	N06W21	167	10	1	Bxo	2	В								
03 Dec	N06W34	166	10	2	Bxo	2	В								
04 Dec	N06W49	168	plage												
05 Dec	N06W64	170	plage												
06 Dec	N06W79	172	plage												
								0	0	0	1	0	0	0	0

Crossed West Limb. Absolute heliographic longitude: 164



Region Summary - continued

	Location	on	Su	ınspot C	haracte	ristics					Flares	3			
		Helio	Area	Extent	Spot	Spot	Mag	X	K-ray			O	ptica	1	
Date	Lat CMD	Lon	10 ⁻⁶ hemi.	(helio)	Class	Count	Class	C	M	X	S	1	2	3	4
		Dogi	on 2615												
		_													
29 Nov	S08E51	132	30	4	Dsi	2	В	4	2		10				
30 Nov	S07E37	134	60	7	Dai	8	В	4			8				
01 Dec	S07E22	137	110	7	Dai	10	В								
02 Dec	S07E08	138	110	8	Dao	9	В								
03 Dec	S07W07	139	140	8	Dai	14	В	_			_				
04 Dec	S07W20	139	170	10	Dai	15	В	3			5				
05 Dec	S07W33	139	200	9	Dai	16	В	1			2				
06 Dec	S07W45	138	170	8	Dsi	14	В								
07 Dec	S07W60	138	170	8	Cso	8	В								
08 Dec	S06W71	138	60	8	Cao	4	В								
09 Dec	S06W88	141	60	3	Hsx	2	A	12	2	0	25	0	0	0	0
Crossed Absolut	gitude: 1	39													
		Regio	on 2616												
02 Dec	N17W18	164	20	1	Bxo	3	В								
03 Dec	N18W33	165	10	1	Axx	2	A								
04 Dec	N18W47	166	plage												
05 Dec	N18W61	167	plage												
06 Dec	N18W75	168	plage												
07 Dec	N18W89	169	plage												
	West Liml e heliograp		gitude: 1	64				0	0	0	0	0	0	0	0
11.5	>11 <i>0</i> 777744	_	on 2617	2	ъ	2	-								
11 Dec	N17W44	71	10	3	Bxo	3	В	0	0	0	1 1	0	0	0	0
Still on Absolut	Disk. e heliograp	hic lon	gitude: 7	1				-	-	-		-	-	-	-




Recent Solar Indices (preliminary) Observed monthly mean values

		Sunspot Numbers Observed values Paris Smooth value					Radio		Geomagnetic		
	Observed				th values	_	Penticton		Planetary		
Month	SEC	RI	RI/SEC	SEC	RI		10.7 cm	Value	Ap	Value	
					2014						
December	12	0.0	67.7	0.65	95.2	55.3	158.7	137.0	12	10.5	
					2015						
January	10	1.2	55.8	0.66	92.1	53.6	141.7	135.8	10	11.0	
February	7	0.6	40.0	0.63	88.3	51.7	128.8	133.8	10	11.5	
March	6	1.7	32.7	0.62	84.2	49.3	126.0	131.2	17	12.0	
April	7	2.5	45.2	0.75	80.5	47.3	129.2	127.3	12	12.4	
May	8	3.0	53.3	0.71	77.5	45.7	120.1	123.3	9	12.7	
June	7	7.3	39.9	0.53	73.1	43.3	123.2	119.5	14	13.0	
July	6	8.4	39.5	0.58	68.2	41.0	107.0	116.0	10	13.1	
August		1.6	38.6	0.63	65.5	39.8		113.3		13.1	
September	7	2.5	47.2	0.65	64.0	39.5	102.1	110.8	16	12.8	
October	5	9.5	38.2	0.62	61.8	38.6	104.1	107.9	15	12.5	
November	6	1.8	37.3	0.61	59.0	36.7	109.6	105.3	13	12.5	
December	5	4.1	34.8	0.64	55.1	34.7	112.8	102.5	15	12.5	
					2016						
January	5	0.4	34.2	0.67	51.4	32.6	103.5	99.9	10	12.3	
February	5	6.0	33.8	0.61	49.6	31.5	103.5	98.1	10	12.0	
March	4	0.9	32.5	0.80	47.7	30.3	91.6	96.6	11	11.8	
April	3	9.2	22.7	0.58	45.0	28.7	93.4	95.3	10	11.8	
May	4	8.9	30.9	0.64	42.1	26.9	93.1	93.2	12	11.7	
June	1	9.3	12.3	0.65			81.9		9		
July	3	6.8	19.5	0.53			85.9		10		
August	5	0.4	30.4	0.60			85.0		10		
September	3	7.4	26.8	0.72			87.8		16		
October	3	0.0	20.2	0.67			86.1		16		
November	2	2.4	12.8	0.57			78.7		10		

Note: Values are final except for the most recent 6 months which are considered preliminary. Cycle 24 started in Dec 2008 with an RI=1.7.





Weekly Geosynchronous Satellite Environment Summary Week Beginning 05 December 2016

The proton flux plot contains the five-minute averaged integral proton flux (protons/cm²-sec -sr) as measured by the SWPC Primary GOES satellite, near West 75, for each of three energy thresholds: greater than 10, 50, and 100 MeV.


The electron flux plot contains the five-minute averaged integral electron flux (electrons/cm²-sec -sr) with energies greater than 2 MeV by the SWPC Primary GOES satellite.

The Hp plot contains the five minute averaged Hp magnetic field component in nanoteslas (nT) as by the SWPC Primary GOES satellite. The Hp component is parallel to the spin axis of the satellite, which is nearly parallel to the Earth's rotation axis.

The Estimated 3-hour Planetary Kp-index is derived at the NOAA Space Weather Prediction Center using data from the following ground-based magnetometers: Boulder, Colorado; Chambon la Foret, France; Fredericksburg, Virginia; Fresno, California; Hartland, UK; Newport, Washington; Sitka, Alaska. These data are made available thanks to the cooperative efforts between SWPC and data providers around the world, which currently includes the U.S. Geological Survey, the British Geological Survey, and the Institut de Physique du Globe de Paris.

The data included here are those now available in real time at the SWPC and are incomplete in that they do not include the full set of parameters and energy ranges known to cause satellite operating anomalies. The proton and electron fluxes and Kp are 'global' parameters that are applicable to a first order approximation over large areas. H parallel is subject to more localized phenomena and the measurements generally are applicable to within a few degrees of longitude of the measuring satellite.





Weekly GOES Satellite X-ray and Proton Plots Week Beginning 05 December 2016

The x-ray plots contains five-minute averages x-ray flux (Watt/ m^2) as measure by the SWPC primary GOES X-ray satellite, usually at West 105 longitude, in two wavelength bands, 0.05 - 0.4 and 0.1 - 0.8 nm. The letters A, B, C, M and X refer to x-ray event levels for the 0.1 - 0.8 nm band.

The proton plot contains the five-minute averaged intergral flux units (pfu = protons/cm 2 -sec -sr) as measured by the primary SWPC GOES Proton satellite for each of the energy thresholds: >1, >10, >30, and >100 MeV. The P10 event threshold is 10 pfu at greater than 10 MeV.



Preliminary Report and Forecast of Solar Geophysical Data (The Weekly)

Published every Monday by the Space Weather Prediction Center.

U.S. Department of Commerce NOAA / National Weather Service Space Weather Prediction Center 325 Broadway, Boulder CO 80305

Notice: The 27-day Outlook, Satellite Environment, X-ray and Proton plots have been redesigned. Comments and suggestions are welcome SWPC.Webmaster@noaa.gov

The Weekly has been published continuously since 1951 and is available online since 1997.

http://spaceweather.gov/weekly/ -- Current and previous year

http://spaceweather.gov/ftpmenu/warehouse.html -- Online achive from 1997

http://spaceweather.gov/ftpmenu/ -- Some content as ascii text

http://spaceweather.gov/SolarCycle/ -- Solar Cycle Progression web site

http://spaceweather.gov/contacts.html -- Contact and Copyright information http://spaceweather.gov/weekly/Usr_guide.pdf -- User Guide

